



THE SYMBOL OF
UNMATCHED QUALITY
IN HDPE Bottles & Closures



chemipack india pvt. ltd.

chemipackindia.com

PRODUCT PORTFOLIO

DMF BOTTLE STANDARD THREAD PROFILE

Sl no.	Products	Shape	Weight (gms)	OFC(ml)	Min. wall thickness	Neck size (mm) SP-400
1	40 CC HW	Round	10.0 ± 1.0	48.0 ± 3.0	0.040 in	33
2	40 CC MW	Round	7.0 ± 1.0	51 ± 3.0	0.020 in	33
3	60 CC HW	Round	12.0 ± 1.0	67.50 ± 3.50	0.032 in	33
4	60 CC MW	Round	10.50 ± 1.0	72.0 ± 4.0	0.032 in	33
5	60 CC LW	Round	9.0 ± 0.50	72.0 ± 4.0	0.032 in	33
6	75 CC HW Big dai.*	Round	17.50 ± 1.0	85.0 ± 4.0	0.050 in	38
7	75 CC MW Big dai.	Round	11.0 ± 1.0	87.5 ± 4.0	0.030 in	38
8	75 CC HW Big dai.	Round	11.0 ± 1.0	87.5 ± 4.0	0.040 in	38
9	75 CC LW Small dia.	Round	11.0 ± 1.0	87.5 ± 4.0	0.030 in	38
10	75 CCMW Small dia.	Round	13.0 ± 1.0	98.50 ± 4.0	0.030 in	38
11	75 CC HW Small dia.	Round	17.5 ± 1.0	80.0 ± 5.0	0.050 in	38
12	100 CC HW	Round	16.50 ± 1.0	108.0 ± 4.0	0.040 in	38
13	100 CC MW	Round	12.50 ± 1.0	113.0 ± 4.0	0.025 in	38
14	120 CC LW	Round	15.50 ± 1.50	138.0 ± 5.0	0.025 in	38
15	120 CC MW*	Round	19.0 ± 1.50	133.0 ± 5.0	0.040 in	38
16	120 CC HW	Round	25.50 ± 1.50	132.0 ± 5.0	0.060 in	38
17	120 CC HW Big dia.	Round	25.50 ± 3.0	142.0 ± 7.0	0.060 in	38
18	150 CC LW	Round	18.0 ± 1.0	182.0 ± 6.0	0.025 in	38
19	150 CC LW	Round	18.0 ± 1.0	176.0 ± 6.0	0.026 in	38
20	150 CC HW	Round	22.5 ± 1.0	169.0 ± 6.0	0.040 in	38
21	175 CC*	Round	21.0 ± 2.0	185.0 ± 6.0	0.032 in	38
22	200 CC LW	Round	20.50 ± 2.0	227.0 ± 7.0	0.025 in	38
23	200 CC HW	Round	30.0 ± 2.0	221.0 ± 9.0	0.040 in	38
24	250 CC	Round	24.0 ± 2.0	300.0 ± 9.0	0.028 in	53
25	300 CC HW	Round	50.0 ± 2.0	320.0 ± 9.0	0.060 in	53
26	300 CC MW*	Round	40.0 ± 2.0	343.0 ± 9.0	0.040 in	53
27	400 CC HW	Round	50.0 ± 2.0	431.0 ± 11.0	0.040 in	53
28	500 CC LW	Round	50.0 ± 2.0	555.0 ± 13.0	0.045 in	53
29	500 CC HW*	Round	75.0 ± 3.0	540.0 ± 13.0	0.060 in	53
30	530 CC	Round	40.0 ± 2.0	543.0 ± 7.0	0.025 in	28
31	625 CC HW	Round	55.0 ± 3.0	718.0 ± 13.0	0.040 in	53
32	750 CC LW*	Round	65.0 ± 2.0	843.0 ± 20.0	0.045 in	53
33	750 CC HW*	Round	80.0 ± 2.0	843.0 ± 15.0	0.045 in	53
34	950 CC*	Round				53
35	1300 CC*	Round	100.0 ± 2.0	1276.0 ± 20.0	0.025 in	53
36	1500 CC*	Round	87.0 ± 5.0	1800.0 ± 24.0	0.020 in	89

DMF BOTTLE STANDARD THREAD PROFILE

Sl no.	Products	Shape	Weight (gms)	OFC(ml)	Min. wall thickness	Neck size (mm) SP-400
37	110 ml	Round	18.0 ± 2.0	115.0 ± 10.0	1.00 mm	28
38	185 ml	Round	21.0 ± 2.0	185.0 ± 10.0	1.00mm	28
39	250 ml	Round	22.0 ± 3.0	290.0 ± 15.0	0.50 mm	28
40	500 ml	Round	32.0 ± 3.0	540.0 ± 15.0	0.50 mm	28
41	1000 ml	Round	62.0 ± 4.0	1040.0 ± 20.0	0.75 mm	28
42	1000 ml	Round	53.0 ± 3.0	1040.0 ± 10.0	0.90 mm	28
43	220ml/28mm ROPP*	Round	24.0 ± 3.0	237.0 ± 10.0	0.035 in	28(ROPP)
44	8 Oz	Rectangular	28.0 ± 3.0	270 ± 10	0.030 in	28
45	16 Oz	Oblong	34.5 ± 2.0	527 ± 10	0.025 in	24
46	250 CC	Oblong	28.0 ± 2.0	280.0 ± 10.0	0.031 in	43
47	500 CC	Oblong	38.0 ± 2.0	500.0 ± 25.0	0.031 in	43
48	1000 CC	Oblong	60.0 ± 3.0	1000 ± 25	0.031 in	43
49	500 CC With View strip	Oblong	45.0 ± 3.0	575.0 ± 15.0	0.020 in	28
50	480 CC HW	Rct. Oblong	62.0 ± 2.0	510 ± 10.0	0.045 in	28
51	480 CC LW	Rct. Oblong	55.0 ± 3.0	500 ± 15.0	0.040 in	28

NON DMF BOTTLE STANDARD THREAD PROFILE

Sl no.	Products	Shape	Weight (gms)	OFC(ml)	Min. wall thickness	Neck size (mm) SP-400
1	100 CC HW	Round	16.5 ± 1.0	108.0 ± 4.0	0.040 in	38
2	120 CC HW	Round	25.5 ± 1.5	132 ± 5	0.060in	38
3	200 CC HW	Round	30.0 ± 2.0	221.0 ± 9.0	0.040 in	38
4	400 CC HW	Round	50.0 ± 1.8	431.0 ± 11.0	0.040in	53

NON DMF BOTTLE NON STANDARD THREAD PROFILE

Sl no.	Products	Shape	Weight (gms)	OFC(ml)	Min. wall thickness	Neck size (mm) SP-400
1	60 CC	Round	9.0 ± 1.0	72.0 ± 5.0	0.50 mm	33
2	75 CC LW	Round	11.0 ± 1.0	87.0 ± 5.0	0.70 mm	38
3	75 CC MW	Round	13.0 ± 1.0	95.0 ± 5.0	0.70 mm	38
4	110 CC	Round	18.0 ± 2.0	120.0 ± 10.0	0.70 mm	38
5	160 CC	Round	22.0 ± 2.0	170.0 ± 10.0	1.00 mm	38

DMF CLOSURES STANDARD THREAD PROFILE

Sl no.	Products	Weight(gms)	Neck Size(mm) SP-400
1	24 mm CRC*	4.90 ± 0.20	24
2	28 mm CRC*	5.30 ± 0.45	28
3	28 mm CRC Tamper Evident Ring*		28
4	33 mm CRC	6.60 ± 1.00	33
5	38 mm CRC	7.60 ± 1.00	38
6	43 mm CRC With 17.0g Measuring Cup	11.00 ± 1.80	43
7	53 mm CRC*	13.30 ± 1.00	53
8	33 mm CT*	2.805 ± 0.50	33
9	38 mm CT	3.50 ± 0.50	38
10	53 mm CT*	5.00 ± 0.50	53
11	89 mm CT*	12.80 ± 1.20	89

NON DMF CLOSURES NON STANDARD THREAD PROFILE

Sl no.	Products	Weight(gms)	Neck Size(mm) SP-400
1	33 mm CT	2.80 ± 0.50	33
2	38 mm CT	3.80 ± 1.00	38
3	38 mm CRC	8.00 ± 1.00	38

DMF DESICCANT CANISTER

Sl no.	Products	Weight(gms)
1	1gm Desiccant Canister	1.90 ± 0.30 gm
2	2gm Desiccant Canister	3.00 ± 0.50 gm
3	3gm Desiccant Canister	5.00 ± 0.50 gm

DMF UNIT DOSE & MEASURING CUPS

Sl no.	Products	Weight(gms)
1	20 ml Unit Dose Cup	3.20 ± 0.50
2	40 ml Unit Dose Cup	4.60 ± 0.50
3	55 ml Measuring Cup	8.50 ± 0.50

NON-DMF MEASURING CUPS

Sl no.	Products	Weight(gms)
1	20 ml Measuring Cup	6.00 ± 0.50
2	23 ml Measuring Cup	6.00 ± 0.60
3	27.5 ml Measuring Cup	6.20 ± 0.50
4	30 ml Measuring Cup	6.00 ± 0.50
5	41 ml Measuring Cup	7.00 ± 0.50

POLY BAGS

LDPE, LLDPE POLY BAG Starts from 9X12 TO 40X60 Sizes for regulatory and non-regulatory markets colours are Natural, Natural Antistatic, Black colour & Black Antistatic, and gauge starts from 200 to 600.as per customer requirement.

ZIP LOCK & SELF-SEALING BAGS

Premium bags designed for versatile, secure, and hygienic packaging.

Key Features:

- Custom Sizes and Variants
- Durable and Long-Lasting
- Cleanroom Manufacturing
- Convenient and Resealable Ideal for pharmaceutical, industrial, and commercial applications.

HDPE/WOVEN PP BAGS

Our cleanroom facility produces over 100,000 bags daily, maintaining exceptional quality and hygiene.

Key Features:

- Custom Sizes: Available in 25kg, 40kg, and 50kg capacities.
- Tailored Dimensions: Designed to meet client-specific requirements.

UNDER DEVELOPMENT

Sl no.	Products
1	1 ml Oral Dosing Syringes (PP)
2	3 ml Oral Dosing Syringes (PP)
3	5 ml Oral Dosing Syringes (PP)
4	10 ml Oral Dosing Syringes (PP)
5	20 mm Adaptor (LDPE)
6	24 mm Adaptor (LDPE)
7	28 mm Adaptor (LDPE)
8	HM Polyethylene Bag (HDPE)

ACCREDATIONS

DMF NUMBER	NAME	COUNTRY
25241	HDPE Bottle	USDMF
40176	HDPE Bottles	USDMF
2013-016	HDPE Bottles	CANADA
34480	LDPE Adapter & Dip Tube	USDMF
38626	Measuring Cups	USDMF
SPC23C5862	LDPE Adapters, PP/HDPE Measuring Cups, CE MARK Certificate	EUROPE
40049	PP Closures	USDMF
40048	Desiccant Canister	USDMF
40023	LDPE/LLDPE Poly bags	USDMF

AN ISO 9001-2015 CERTIFIED COMPANY



chemipack india pvt. ltd.

Manufacturing Units: Jeedimetla, Bonthapally.

Corporate Office Address:

DMR Corporate, 5th Floor, Plot #201 & 202, Kavuri Hills, Madhapur, Hyderabad – 500081

Contact: 040-24004500, 040-24004536, 9248093145, 9121211112,

Email: sales@chemipackindia.com, marketing@chemipackindia.com,

drkirankumar@chemipackindia.com.

www.chemipackindia.com

Your Partner in Quality and Excellence!